

# Freewheeling Screen

Model: S32PF3-Y



\* The final interpretation of all information contained in this document belongs to the company, the images are for reference only, and all unauthorized and permitted reproductions are not recognized and should be banned.

\* This file contains all the parameter data information. The parameter information of this series of standard models does not represent all the parameters and data of our series. The actual parameter data should be based on the specific model signed with the sale.

## Product overview

- Full-screen (frameless design) capacitive touch, high color gamut, gorgeous and natural colors, high display restoration, and large screen viewing angle.
- The surface of the screen is tempered glass using an etching process, reaching Mohs level 7 hardness, which is safe and reliable.
- Built-in large-capacity battery, it can play online videos for 5 hours at max brightness, with 19V/90W fast charging.
- Equipped with a telescopic mobile stand, it can adjust the height by 150MM, up/down angle by 26°, and the left and right rotation by  $\pm 90^\circ$  to meet the needs of use. The bottom of the stand adopts a silent universal wheel, making it easy, fast and low-noise to move.
- Supports wireless screen sharing function to easily share mobile phone and computer screen content.
- Built-in high-power NdFeB cavity speaker and rich interfaces Type-c, Mini HDMI, USB3.0.
- Supports active pen, 4096 levels of pressure sensitivity, and restores the true body feeling of painting and writing.

# Product specification

LCD Panel	Screen size	32"
	Backlight	ELED
	Resolution	1920*1080
Capacitive touch	Touch screen type	Fully bonded capacitive touch
	Surface	Tempered Etch AG
Operation system	Version	Android 10.0
	CPU	ARM Dual A72+ Quad A53
	RAM	4GB (8GB optional)
	ROM	64GB (128GB optional)
Network	WiFi/BT	Wifi6 2.4G/5G , BT V5.2
Function	Speaker power	8Ω 5W*2
	Power switch	Yes
Back I/O	USB 2.0	*1
	USB 3.0	*1
	Mini HDMI IN	*1
	Type-c IN	*1 Support 5V/3A charging
	EARPHONE OUT 3.5	*1
Charging port	DC 5.5*2.5MM	19V/4.7A
Rotate Angel	Lifting height	150MM
	Right/left	90°
	up/down	26°
Language	OSD Menu	Chinese/English
Environment	Battery capacity	18000mAh
	Max consumption	/
	Operating temperature	0 ~ 45°C
	Storage temperature	-10 ~ 50°C
	Working humidity	≤80% RH
	Storage humidity	≤60% RH

Structure	G/W	/
	N/W	19KG
	Product dimension	Refer to diagram
	Packing dimension	/
	Frame & shell material	Plastic
	Frame & shell color	White
Accessory	Remote	*1
	Power adapter	*1
	Power cable	*1
	Installation screws	*1

# Product diagram

